



5/9/2009

RELIABILITY MONITOR REPORT
FOR

QSOP Package

MAXIM Integrated Products

120 San Gabriel Dr.
Sunnyvale, CA 94086

This Report was prepared by
Maxim Reliability Engineering

Summary:

The data in the tables that follow was generated as the result of an on-going Package Reliability Monitor. The specific assemblies included in this package monitor are:

ASSY SITE	PINS	PACKAGE
UTL (NSEB) UTAC	28	QSOP (Pb-Free)

The calculated failure rate for this assembly is:

FAILURE RATE: MTTF (YRS): 1860 FITS: 61.4

The parameters used to calculate this failure rate are as follows:

Cf: 60% Ea: 0.7 Tu: 25 °C

The reliability data follows. At the start of this data is a description of the assembly vehicle used to generate this reliability data. The next section is the detailed reliability data for each stress. The reliability data section includes the latest data available. This report covers data between 1/1/2008 and 12/31/2008.

Assembly Information:

Package Type: QSOP (Pb-Free)
Date Code Range: 0815 to 0815

OPERATING LIFE

DESCRIPTION	DATE CODE	TEST VEHICLE	CONDITION	READPOINT	QUANTITY	FAILS	FA NO
HIGH TEMP OP LIFE	0815	MAX8734AEEI+	135C	192 HRS	50	0	
				Total:		0	

FAILURE RATE: MTTF (YRS): 1860 FITS: 61.4